Hello Bio, Inc. 304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500 F. 609-228-4994

customercare-usa@m2stage.hellobio.com



DATASHEET

Muscimol

Product overview

Name Muscimol
Cat No HB0887
Biological action Agonist
Purity >99%

Description Potent, selective, competitive GABA_A receptor agonist

Images



Biological Data

Biological description

Potent, selective and competitive $GABA_A$ receptor agonist and a potent partial $GABA_A$ - ρ (GABAC) receptor agonist.

Muscimol is a GABA analog with comparable potency to GABA and is thought to act at the orthosteric site at $GABA_A$ receptors in varying active conformations.

Also acts as a weak inhibitor of GABA uptake but is not a substrate for GABA transaminase.

Application of muscimol evokes GABA_AR currents and its actions are antagonized by the GABA_AR antagonist bicuculline (bicuculline methochloride, methodide and methobromide also available).

Muscimol enhances inhibitory neurotransmission and suppresses spontaneous activity. It is commonly used in reversible brain inactivation studies.

Active in vivo and blood brain barrier permeable.

Application notes

Shows psychoactive, memory impairing effects and anticonvulsant actions at high doses. The GABA_A receptor agonist muscimol is used at concentrations of 1-50 μ M. Muscimol from Hello Bio used at 10 μ M led to a large hyperpolarising whole-cell current in hippocampal CA1 neurons (see Fig 1 above). Action of muscimol was fully blocked by the GABA_A receptor antagonist bicuculline (100 μ M).

#Protocol 1: Assay used for muscimol

- Whole cell voltage clamp recordings of CA1 pyramidal neurons from the rat hippocampal brain slice.
- Neurons were held at 0 mV and GABA_A receptor currents were evoked via applying muscimol

directly to the recording chamber during continuous perfusion.

- To test muscimol's selectivity to GABA_A receptors the experiment was repeated within the same neuron in the presence of the GABA_A receptor antagonist bicuculline (100 μM).
- Under these conditions muscimol failed to induce a hyperpolarising current.

Solubility & Handling

Storage instructions Solubility overview Important Room temperature Soluble in water (100mM)

This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not

for human or veterinary use.

Chemical Data

Chemical name

Molecular Weight Chemical structure 5-Aminomethyl-3-hydroxyisoxazole

114.1 OH H₂N O

SMILES C1=C(ONC1=O)CN

Source Synthetic

InChi InChi=1S/C4H6N2O2/c5-2-3-1-4(7)6-8-3/h1H,2,5H2,(H,6,7)

InChiKey ZJQHPWUVQPJPQT-UHFFFAOYSA-N

MDL number MFCD00057894
Appearance White solid

References

Anticonvulsant and behavioral effects of muscimol in immature rats.

Mareš P et al (2014) Brain Res 1582

PubMedID 25084038

Muscimol as an Ionotropic GABA Receptor Agonist.

Johnston GA (2014) Neurochem Res 39(10) **PubMedID**24473816

Hippocampal infusions of pyruvate reverse the memory-impairing effects of septal muscimol infusions.

Krebs DL *et al* (2005) Eur J Pharmacol 520(1-3) **PubMedID** 16150437